EXTENSION REVIEW REPORT(Commercial Interiors)

Extension name	
Reviewed by	
Approved by	
Completion date	
Results	
Jira epic link	

Note: Please comment on the reported tickets on Jira for any questions and concern



TABLE

1.	INTRODUCTION	3
2.	INSTALLATION TEST AND SMOKE TEST	4
3.	USER INTERFACE	7
4.	USABILITY TEST	12
5 .	SYSTEM TEST	. 21
6.	PERFORMANCE TEST	28
7.	MARKETPLACE	33

1. INTRODUCTION

Configura's Extension Review was created to make sure our CET users have the best experience possible, regardless of the Extension they are using. The goal is to create a more uniformed experience across Extensions when it comes to common functionality when creating a drawing.

Partners should prepare their Extension based on these guidelines in this document and as if their Extension was ready to release before submitting for a review. Upon submitting your Extension for review, a Quality Assurance Analyst will review your Extension and give your Extension a green (pass), yellow (pass with issues) or red (fail) for the following categories:

- Installation and Smoke Test
- User Interface
- Usability Test
- System Test
- Performance Test
- Marketplace

If you have Administrator access to your Jira project, see link below on how to add more users.

Link: Add users to your project

Have additional questions? Please see our FAQ for the Extension Review or contact your Configura Account Manager. Having question on using/ migrating to new CET features? Use this link below for migration guides or help articles.

Link: Migration Guide Support Articles

Alternatively you can reach out to **devsupport@configura.com** for assistance.

Disclaimer: Product rules are not covered in this review.

2. INSTALLATION TEST AND SMOKE TEST

During this portion of the review, your Extension will be assessed for installation and for critical functionalities. When completing this test, it is based on a user running on Latest Windows Edition and that the Extension can be installed with other Application Extensions and Utility Extensions except for Catalogue Creator, CET Developer or QA Tools.

Your Extension will receive one of the following scores for this section:

Pass (Green):

• Extension passes all tests.

Pass with issues (Yellow):

• Crash detected by debug menu that is not easily reproducible.

Fail (Red):

• Extension fails any of the tests.

ITEM #	CHECKLIST	RESULT	COMMENT
1	Installation of the Extension with the latest CET core version and correct CET edition should be successful.	☐ Passed ☐ Passed with issues ☐ Failed	

2	Catalogues download automatically. Snappers update automatically without needed to refresh.	☐ Passed ☐ Passed with issues ☐ Failed	
3	Visible icons when each toolbox is clicked on.	☐ Passed ☐ Passed with issues ☐ Failed	
4	When using debug menu (Ctr + Alt + F12), inserting snappers should not cause any crash.	☐ Passed☐ Passed with issues☐ Failed☐	
5	Create a simple drawing, save, and reload drawing. Edit, save, and reload drawing again.	☐ Passed☐ Passed with issues☐ Failed☐	
6	Look for any obvious performance issue(s) for example slow to move an item, slow to pan or zoom in/out. Use model performance tool (QA Tools) to check if the models have Level of Details (LOD) and Polygon Count is within budget.	☐ Passed ☐ Passed with issues ☐ Failed	

INSTAL	LATION AND SMOKE TEST RESULTS:
	Pass
	Pass with issues
	Fail
Good: Items t	o improve:
Sugge	stions:

3. USER INTERFACE

During this portion of the review, your Extension will be assessed on its user interface. The goal of this test is to determine if your Extension is easy to understand and navigate.

Your Extension will receive one of the following scores for the User Interface section:

Pass (Green):

• Extension passes all tests.

Pass with issues (Yellow):

The User Interface does not affect the user's ability to create a drawing.

Fail (Red):

- The icon does not represent the product.
- The User Interface is not easy to understand and affects the user's ability to create a drawing.
- The latest properties box is not used (Applicable to New Manufacturer Extension).

ITEM #	CHECKLIST	RESULT	COMMENT
1	Make sure product lines on tabs look organized. Tabs should look consistent throughout the extension. Filter should be available if there are too many products on one tab.	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
2	Link(s) to manufacturer information should be available at the top of the main manufacturer tab.	☐ Passed ☐ Passed with issues ☐ Failed	
3	Make sure the icon size is consistent.	☐ Passed ☐ Passed with issues ☐ Failed	
4	Make sure there is no horizontal scrollbar in the toolbox.	☐ Passed☐ Passed with issues☐ Failed☐	
5	Make sure the icons are aligned on the same row.	☐ Passed☐ Passed with issues☐ Failed☐	
6	Click on each toolbox and make sure the overall user interface looks good. For example, text size, icon size and button should be consistent. Overall branding makes sense: logos, text, etc.	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
7	Tabs collapse when browsing items on component tab. Tabs collapse in Extension correctly.	☐ Passed ☐ Passed with issues ☐ Failed	
8	Tooltips and help texts should be readable.	☐ Passed ☐ Passed with issues ☐ Failed	
9	 Animation properties and properties box: New version property box is used. Properties are understandable. No property boxes flicker. Properties do not overlap each other. 	☐ Passed ☐ Passed with issues ☐ Failed ☐ Not supported	

USER INTERFACE TEST RESULTS:		
Pass		
Pass with issues		
Fail Fail		
Good:		
Items to improve:		
Suggestions:		

4. USABILITY TES T

The purpose of usability test is to evaluate how easy to use and user-friendly an extension is and check if there are any noticeable issue(s) that block a user from creating a drawing. Quality Assurance Analyst will perform this test by creating a drawing that consists of panels, electrical, worksurfaces, storage and seating (if available).

This section will be scored by the following:

Pass (green):

User can create a drawing in a fast and easy way without any issue.

Pass with issues (yellow):

- Issues with workaround.
- Refresh issues but F5 can be a workaround.
- Minor selection issues in 2D/3D view.
- Minor graphic issues in 2D/3D view unless it affects the creation of workstation and rendering.
- Change support does not work well.
- Minor property box issues that do not affect the creation of drawing.
- Minor animation properties issues that do not affect the creation of drawing.
- Minor snapping issues that do not affect the creation of drawing.
- · Customer Own Material (COM) is not working.
- Two workstations cannot be joined properly.
- · View modes does not work or missing common view modes like electrical, interior.

Fail (red):

- Crashes for common user scenarios or easily reproducible crashes.
- · Basic steps to create a workstation are not successful.
- Significant performance issues that affect the creation of drawing.
- Significant issues in applying finishes and affecting the bill of material.
- Calculation and order export issues that will affect the bill of material or quotation.
- The latest PropsScheme or Catalogue Driven Scheme manager is not used (Applicable to New Manufacturer Extension).
- Standard categories are not used and duplicated categories.

ITEM #	CHECKLIST	RESULT	COMMENT
1	 Wall can be inserted successfully after second click placement. Wall can be stretched or adjusted correctly to desired Length and Height. Pay attention to any graphics issue in 2D/3D views. Pane can be split within allowed range. Split animation of pane is highlighted with arrow (green). Properties works fine with insert/stretch wall animation, split wall animation. Two separate walls can be connected in successfully without any invalid or error issues. Works fine with I, L, or T-connection. Room can be inserted successfully (If applicable). Insert door on wall pane. The pane can be adjusted to allowed width range. Information such as Style Part, Unit Part, Description, and others are populated in Calculation dialog. 	□ Passed □ Passed with issues □ Failed	

		1	
	 Use Panel View mode to see the panels only. Place electrical on panels. CET should automatically switch to Electrical View mode if it's "inside" the panel. Electricals. i.e., receptacles, in-feed, communication/data, jumper scan be added or removed easily. Manual electrical routing tool should work if available. Snap/join two workstations together. Verify proper connection in Group select mode. 		
3	 Worksurfaces Worksurfaces can snap or span across multiple panels, if available. The worksurface size should match the panel automatically. Modify supports by auto populate, adding, removing, resetting, and/or swapping. Without panels Place worksurfaces in different common configurations. Place benches in different configurations. Make sure the frame is updated correctly. Add screen to worksurfaces, it should snap at the proper place. 	☐ Passed ☐ Passed with issues ☐ Failed	

1			
	 Electricals and cable should snap properly. Monitor arm should snap at the back edge of worksurfaces., if available. Place accessories should be done easily. 		
4	With panels Add upper storage to workstation. It should snap at proper location. With worksurface Add surface mounted storage. It should snap at proper location. Storage should show as dotted lines in 2Dview if placed underneath worksurface. System storage Create and modify system storage. Interior view mode should be available to hide the back cover or door to check the interior.	☐ Passed ☐ Passed with issues ☐ Failed	
5	 Add seating. Seating can be snapped to worksurface. Auto populate seating for different worksurface configurations. Make sure the freestanding lounge seating can snap properly. 	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
6	 Compare Scheme manager with PropsScheme or Catalogue Driven Scheme. Refer FIKA, wall settings. The interface should look similar. Apply any existing scheme. Create new scheme and rename, apply finishes to all known items, apply to all, selected group or tagged. Apply all finishes either from scheme manager or property box so there are no undecided options and no incomplete specs. Check that proper category name is assigned to their materials in Material Explorer (if any). Use COM's on scheme manager or on catalogue symbols. Check materials are using PBR Materials. Try with rendering. 	☐ Passed ☐ Passed with issues ☐ Failed ☐ Not supported	
7	 Create Elevation using the Elevation view tool from extension. Generate any frame side types or panel type elevations or system storage elevation if available. Change visibility settings on elevation. 	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
8	 Check that there are no duplicated categories in categorization dialog. Check that the default categories are assigned to all the symbols. Apply different category to symbols. View drawings or products in different view modes (Normal, Interior, Electrical, TAGS, view all). Check view modes for correctness. For example, Panels view mode only shows info and graphics for panels. Test Ind. Tags: locking and unlocking, moving, changing in styles, showing upon view modes. Check categories are assigned to Ind. Tags. Test content filter. 	☐ Passed ☐ Passed with issues ☐ Failed	
9	Main Manufacturer tab Check the recommended features/tools below are available. Contact Support Link Picklist Project Information Finish legend (swatches if available) Custom legends or notes, keying Validate drawing	☐ Passed ☐ Passed with issues ☐ Failed	

10	 Render Drawing Save rendering as a .jpeg. Render using Office Lighting. Try with transparent material and customer own material (if any). Render glass to make sure transparent is generating correctly. 	☐ Passed ☐ Passed with issues ☐ Failed	
11	 Calculation/Article View Make sure Extension specific column or registered article view is available (if any). Make sure order export works (Configura SIF and OFDA format). Ensure the exported information is correct. Import information correctly into SPEC. Test ability to query and add a special. 	☐ Passed ☐ Passed with issues ☐ Failed	
12	 Use Auto paper if available. Insert 2D view clips of different view modes (Panel only, interior, electrical etc.). Insert 2D view clips of panel keys &finish summary. Insert JPEG of the rendering onto one of the installation papers. Insert 3D viewport of all components (contour, realistic rendering mode). Insert an Article View onto one of the installation papers. Check visibility settings/filter in Paper View (current view modes and creating a custom view mode). 	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
13	 Printing Print your installation papers & save as a PDF. Print special area on print reports for manufacturer if available. 	☐ Passed ☐ Passed with issues ☐ Failed	

USABILITY TEST RESULTS:
Pass
Pass with issues
Fail
Good: Items to improve:
Suggestions:

5. SYSTEM TEST

During the System Test, your Extension will be assessed on the integration between your Extension and CET core functionalities.

This test will be scored on the following criteria:

Pass (green):

All tests are passed without major issues.

Pass with issues (yellow):

- Issues with workaround.
- The Extension does not work well with multilevel.
- Copying over symbol on single select will select all connected symbols in a station.
- Lighting products in Extension is not using Physical light.
- The non-working function is not used by this extension user.

Fail (red):

- Crashes for common user scenarios or easily reproducible crashes.
- Product with office panel and worksurface does not support component block.
- Does not support Associative Dimension.

ITEM #	CHECKLIST	RESULT	COMMENT
1	 Manufacturer tabs are generated automatically in component tab configurator and show up if creating own component tab configuration. Able to pin tabs on Extension. 	□ Passed□ Passed with issues□ Failed	
2	Shortcut keys (Copy paste, undo redo, move) Test copy paste with A command, Ctrl +C and Ctrl +V command and Ctrl +Shift + C command. Use Ctrl+Z and Ctrl+Y to undo redo. Use page up/down and arrow key to move the individual symbol or grouped symbols.	□ Passed□ Passed with issues□ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
3	 Make sure single/group select work as intended. Check that single and group objects copy over correctly. Rectangular select Lasso select Ctrl + Right click to select single object from connected and overlapping objects. 	☐ Passed ☐ Passed with issues ☐ Failed	
4.	 Multiple drawing Turn on multiple drawing function. Check that you can work with multiple drawings at once. 	□ Passed□ Passed with issues□ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
5	Alternatives Create alternatives and make changes indifferent alternatives.	☐ Passed☐ Passed with issues☐ Failed☐	
6	 Favorite Save as Favorites. Load saved Favorites from above step and Usability Test. 	☐ Passed ☐ Passed with issues ☐ Failed	
7	 Create several blocks and component blocks for different product groups. Copy paste the block. Double click to enter edit block mode. Edit the properties of the block. Explode block. Delete block. Try to undo and redo with block operation. 	☐ Passed ☐ Passed with issues ☐ Failed	
8	 Create Multi floor. Check to place Symbols on different floors. Check that symbols can be moved to different floors. Apply different operation on different floor, for example apply finishes. 	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
9	 Apply part tagging. (tag individually, tagging rectangle, custom shape tag) Note: check the default individual tag. Check that tags are visible in calculation. Test Manufacturer Part Tagging & Reconfiguration Tool with part tags. 	☐ Passed ☐ Passed with issues ☐ Failed	
10	FreezeFreeze and unfreeze the symbols.	☐ Passed☐ Passed with issues☐ Failed☐	
11	Use Edit Graphics on symbols.	☐ Passed☐ Passed with issues☐ Failed☐	
12	Create elevation view from different angle and check the created elevation.	☐ Passed☐ Passed with issues☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
13	 Arrange/Group/Lock Test grouping, locking, align/distribute, and replicate tools in Arrange menu. Check replicating symbols using all three replicate tools (Polar, Linear, Rectangle) in Tools tab. 	☐ Passed ☐ Passed with issues ☐ Failed	
14	 Briefly check product information in calculation dialog. Edit the descriptions, quantity, and prices in calculation dialog. Check clicking on the "X" on the edited field will return it to original state. Check that you can create article view consisting of selected products using lasso calculation. 	☐ Passed ☐ Passed with issues ☐ Failed	

	Project information		
15	 Check to enter project information from Tools Menu. Check the tree structure of project variables when choosing a field variable for a data field. Each manufacturer should have their own tree structure. Check that the project info is shown on data field inserted in a paper view. Check to save and reload the saved project info. 	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
16	 Make sure 2D tools like dimension, helpline and 2D lines can snap to your product in 2D view. Make sure Associative Dimensions is working with your product. 	☐ Passed ☐ Passed with issues ☐ Failed	
17	 Mirror Check that Mirror Tools in the wall drawing tap. Make sure all three mirror styles (Flip Horizontally, Flip Vertically, Mirror across a line) are working with the product. 	□ Passed□ Passed with issues□ Failed□ Not supported	
18	 Light Check that products that has light embedded are using physical light. Enable real time light and render the product to double check. 	□ Passed□ Passed with issues□ Failed□ Not supported	

Pass
Pass with issues
Fail Fail
Good:
Items to improve:
Suggestions:

SYSTEM TEST RESULTS:

6. PERFORMANCE TEST

The performance test will review the speed of your Extension when starting up, drawing, changing finishes etc.

This test will be scored on the following criteria:

Pass (green):

• Drawings can be created or modified without performance issues.

Pass with issues (yellow):

- Slow start-up speed.
- Drawings can be created or modified with minor performance issues.

Fail (red):

• Noticeable performance issues when placing objects, making changes and when saving or loading drawings.

ITEM #	CHECKLIST	RESULT	COMMENT
1	Start-up (non-clean) (System and Extension) Building (non-clean) First place symbol (non-clean) Start-up (clean start) (System and Extension) First place symbol (after clean start)	□ Passed□ Passed with issues□ Failed	
2	Load favorite. Save as favorite.	□ Passed□ Passed with issues□ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
3	Freeze/Unfreeze. Group/Ungroup. Lock/Unlock.	□ Passed□ Passed with issues□ Failed	
4	Replicate. Save drawing. FPS when rotate 3D. Regenerate parts. Load drawing. Refresh in 2D and 3D view. Create alternatives. File size.	☐ Passed ☐ Passed with issues ☐ Failed	
5	Show scheme manager. Apply from scheme manager. Switch material from QP. Switch material from Option Select.	☐ Passed☐ Passed with issues☐ Failed☐	
6	Copy/paste symbols using "A" command. Copy/paste symbols using Shortcuts. Copy/paste all symbols to new drawing.	☐ Passed ☐ Passed with issues ☐ Failed	
7	Disconnect Reconnect	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
8	Change width animation for a symbol. Undo after changing width (for a favorite). Redo.	☐ Passed ☐ Passed with issues ☐ Failed	
O	Create a block. Explode one block. Explode 100 block. Undo after exploding 100 blocks. Redo.	☐ Passed ☐ Passed with issues ☐ Failed	
10	Switch between active levels.	☐ Passed ☐ Passed with issues ☐ Failed	
11	Toggle level visibility.	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
12	Print Preview. Create PDF.	□ Passed□ Passed with issues□ Failed	
13	Close CET.	□ Passed□ Passed with issues□ Failed	

PERFORMANCE TEST RESULTS:
Pass
Pass with issues
Fail Fail
Good:
Items to improve:
Suggestions:

7. MARKETPLACE

During this portion of the review, your Extension's content for the Marketplace will be assessed.

This test will be scored on the following criteria:

Pass (green):

Pass all tests

Pass with issues (yellow):

• Missing information about manufacturer's approval for extension download.

Fail (red):

- Missing icon/logo.
- Description of Extension is not clear.
- Missing Category.
- Support Contact information is unclear.

ITEM #	CHECKLIST	RESULT	COMMENT
1	Make sure the description of the Extension is brief and clear to the user. It should give an overview of the Extension or the products available in the Extension.	☐ Passed ☐ Passed with issues ☐ Failed	

ITEM #	CHECKLIST	RESULT	COMMENT
2	Make sure the icon/logo is clear.	□ Passed□ Passed with issues□ Failed	
3	Make sure the proper category has been assigned to this Extension.	□ Passed□ Passed with issues□ Failed	
4	Make sure all relevant fields are filled if optional Support Contact is added. Note: The country calling code should be added if the contact number is available. (For Support Contact only) *Test pass if only Basic or Superior Support is used.	☐ Passed ☐ Passed with issues ☐ Failed	
5	Price is selected as "Free" by default. Note: Option to set a price for extension has been removed.	☐ Passed☐ Passed with issues☐ Failed☐	
6	Explanation of manufacturer's approval to download extension for new user. Note: Recommend to enabled for Free extension.	□ Passed□ Passed with issues□ Failed	
7	Make sure there is No Duplicated (obsolete) extension available in the Marketplace.	□ Passed□ Passed with issues□ Failed	

MARKETPLACE TEST RESULTS:
Pass Pass with issues Fail
Good:
Items to improve:
Suggestions: